

MATERIAL SAFETY DATA SHEET

Identification:	E. coli DEC PCR test strain D2164 with antigens vtx1, vtx2, eae as agar stick
Manufacturer name:	SSI Diagnostica A/S 2 Herredsvejen DK-3400 Hillerød Denmark Tel.: +45 4829 9178 Fax: +45 4829 9179 Email: info@ssidiagnostica.com
Hazard identification:	Potentially infectious. Biosafety level 2 bacteriological agents.
Composition/information on ingredients:	Agar stick <i>E. coli</i> bacterium.
First-aid measures:	Eye - Wash out with plenty of water. Skin - Immediately disinfect area with antiseptic solution.
Accidental release measures:	Wear appropriate protective clothing. Properly disinfect any spills.
Handling and storage:	Store at room temperature.
Exposure controls/personal protection:	Work in a biological safety cabinet and wear disposable gloves.
Physical and chemical properties:	Agar slant, medium: extract agar.
Stability and reactivity:	Stable when used according to packaging insert.
Toxicological information:	Low acute toxicity.
Ecological information:	None.
Disposal considerations:	Clean spills with antiseptic solution and dispose waste as infected material.
Transport information:	- UN number 2814. Category A infectious substances.
Regulatory information:	None.
Other information:	None.