


QUALITY CONTROL CERTIFICATE



Product name : Pseudomonas-CN-agar (ISO 16266)
Abbreviation : PCN
Article code : 41-1286

Batch number : 173047

Expiration date : 07-01-2022
(for sealed enclosure as dd-mm-yyyy)

Typical Formula

Ingredients in gram per litre of nutrient medium * :

Gelatine peptone	16
Casein hydrolysate	10
Potassium sulphate, anhydrous	10
Magnesium chloride, anhydrous	1,4
Agar	11
Cetrimide	0,2
Nalidixic acid [mg]	15
Glycerine [ml]	10

* Adjusted as required to meet performance standards.

Physical Properties

Test	Criterion	Result	Conforms
pH	7,1 ± 0,2	7,1	C
Color	light beige	light beige	C
Consistency	agar	agar	C
Gel Strength		Conforms	C
Appearance	Clear:Yes Partic.:No	Clear:Yes Part.:No	C

Sterility Check

Incubation-condition	Result	Conforms
44-52 hours 30 ±1 °C	Sterile	C

Growth Properties on next page.

Quality Control Certificate

Product name : Pseudomonas-CN-agar (ISO 16266)
Abbreviation : PCN
Article code : 41-1286

Batch number : 173047
Expiration date : 07-01-2022

Growth Properties

• Incubation-condition : 40-48 hours 37 ±1 °C Aerobic

Micro-organisms	Strain	Method*	Electivity**	CFU	CFU-ref	Result	Crit.	Conf.
Pseudomonas aeruginosa	ATCC 10145 WDCM 00024 NCTC 10332	06	green, UV fluorescent	113	113	1.00	≥ 0.5	C
Enterococcus faecalis	ATCC 19433 WDCM 00009 NCTC 775	07	n.a.	n.a.	11000	0	≤ 0	C
Escherichia coli	ATCC 8739 WDCM 00012 NCTC 12923	07	n.a.	n.a.	29000	0	≤ 0	C

- * Method 06 = TV 5.06 Selective enumeration agar ; Productivity of solid media ; quantitative method (acc. ISO 11133)
Result: Productivity-Ratio (cfu test / cfu ref) ; inoculum 10² cfu
- * Method 07 = TV 5.07 Selective enumeration agar ; Selectivity of solid media ; qualitative method (acc. ISO 11133)
Result: Growth ; 2 = good, 1 = slight, 0 = no growth ; inoculum 10⁴-10⁶ cfu
- ** Electivity denotes the properties of the colony and/or their effect on the morphological characteristics of the medium
CFU denotes Colony Forming Units counted on batch. CFU-ref denotes Colony Forming Units counted on reference plate.
C = Conforms X = Does not conform - = Not tested
The test results reported on this report were obtained from a sample of the batch submitted to the laboratory.

Mediaproducts is certified according to DIN EN ISO 9001. This microbiological quality control is carried out by a microbiological laboratory accredited according to EN ISO/IEC 17025. (RvA Registration no.: RvA-L 614).
This laboratory certificate is generated electronically and valid without a signature.
Results were obtained from laboratory report X20211000657.

Release Date :
13-10-2021
(dd-mm-yyyy)

Crit.version :1 Document ID : Q20211000657